

Business Name: Tank It Easy Colorado Springs

Address: Colorado Springs, CO 80917

Phone: (719) 359-8832

Tank It Easy Colorado Springs

Tank It Easy – Colorado Springs provides fast, reliable septic tank cleaning for homes and businesses across the region. We handle routine pumping, maintenance, and inspections with honest pricing and friendly service. Whether you're dealing with backups, odors, or just need regular service, our licensed and insured team gets the job done right. Family-owned and operated, we're committed to keeping your septic system running smoothly. Call today and let Tank It Easy do the dirty work—so you don't have to!

[View on Google Maps](#)

Colorado Springs, CO 80917

Business Hours

- Monday: 24 Hours
- Tuesday: 24 Hours
- Wednesday: 24 Hours
- Thursday: 24 Hours
- Friday: 24 Hours
- Saturday: 24 Hours
- Sunday: 24 Hours

Follow Us:

- Facebook: <https://www.facebook.com/profile.php?id=61573216902188>
- YouTube: <https://www.youtube.com/@TankItEasyCO>

Explore this content with AI:

 [ChatGPT](#)  [Perplexity](#)  [Claude](#)  [Google AI Mode](#)  [Grok](#)

If you own a septic system, pushing is among those chores that certainly never really feels urgent until it quickly is actually. Lavatories burp, empties gurgle, puddles show up over the field, as well as by then you are actually purchasing emergency situation work. A little bit of organizing saves cash and protects against damage. This quick guide outlines exactly how to prep for sewage-disposal tank pumping, what savvy home owners do throughout the solution, and just how to maintain the device after. It blends business knowledge along with what I have viewed on project internet sites, including a handful of possible to avoid mistakes that made pricey repairs.

What pushing in fact accomplishes

Septic tanks resolve out solids. A drifting residue coating collects fats and grease, as well as a sludge level builds up on the bottom. Between them is actually pretty unobstructed liquid that streams to the drain range. Pushing clears away the scum as well as sediment thus solids do certainly not get away to the range. Sewage-disposal tank pumping is not the like sewage-disposal tank cleaning or septic system emptying, though pros at times combine the terms.

- Pumping indicates taking out the fluid as well as muck along with a vacuum vehicle. Many companies perform this.
- Cleaning means clearing away residual solids that stick to the walls and also amazes, usually with a rinse. It is actually stricter as well as takes longer.
- Emptying is sometimes used to mean a total cleanout, various other times simply a pump down. Seek clarity.

If your service provider simply vacuums the fluids through a little hatch without stirring or brushing up the corners, you can leave behind 10 to 30 per-cent of the solids. That is like transforming half your oil. Do not be actually reluctant about inquiring what their method includes.

How usually you actually require it

For an ordinary three-bedroom home along with a 1,000 quart tank and also 4 individuals, a 3 to 5 year interval works for most homes. That assortment tightens or widens based on actions. A waste disposal unit, recurring visitors, heavy washing days, or even solid prescription antibiotics increase strong load and also reduce microbial task. The gold criterion is actually determining sediment and scum density with a crystal clear cylinder or even a long rod and plate just before scheduling. When the combined algae and gunge concern one-third of the tank's depth, it is time.

I have found pair of properties along with similar tank measurements on the same street necessity service at various prices. One family composted kitchen junks and also spaced laundry washing, pushing every 6 years along with well-balanced baffles. The neighbor operated a fingertip for each food and also washed in small everyday tons, which kept the mixer arm of the tank churning. They needed to have pushing every 2 years and a baffle repair at year 7.

A simple refresher course on body anatomy

Knowing the parts assists you prep properly and have an updated talk along with the crew.

- Inlet as well as electrical outlet baffles or even tees maintain algae and solids where they belong. If a baffle is skipping or worn away, solids will hurry the field.
- Effluent filter, generally at the electrical outlet, screens bits. It ought to be cleaned up during the course of septic system maintenance. If no filter exists, ask them about installing one.
- Riser and also cover admit. A stashed lid adds opportunity as well as cost for digging. Look at long-lasting risers to grade.
- Drain area scatters handled effluent. It is actually the costly part to take care of, thus everything you carry out should protect it.

The case for organizing a week in advance

Good pushing is actually not only a vehicle check out. With a few times lead time, you may expose the tops, decrease hydraulic tons, as well as make sure the operator can entirely clean the tank instead of hurrying. You might discover a tiny problem while it is still affordable to deal with. If your device is actually older or even you have never ever seen it available, preparation additionally offers you time to locate sketches or refer to as the local area wellness division for records.

Pre-service check-list that spends off

- Locate and also leave open all access lids, not just the small examination port.
- Confirm tank measurements and material, at that point show your provider.
- Clear a truck path and also guard landscaping or sprinklers.
- Reduce water utilize for 1 day just before the visit.
- Stage a garden tube as well as electrical power electrical outlet for rinsing if needed.

A handful of information issue. Uncovering both inlet as well as outlet access permits the driver check frustrates and the effluent filter. If your covers are actually hidden deeper than 12 to 18 ins, mounting risers to level are going to spend for on its own within a number of pumpings. For the truck course, bear in mind a full vacuum vehicle can easily weigh 30,000 to 50,000 pounds. Carry out certainly not path it over a septic field, gentle lawn, or near a maintaining wall surface without a plan. Lay plywood where tires should cross delicate spots.

Reducing water use the day previously is actually easy science. A quieter tank means far fewer floating solids that can easily asperse in to the outlet throughout anxiety. Leave out long showers as well as laundry, as well as conduct dish washer runs. I have determined scum levels that decreased enough in 12 hours to make the distinction in between a clean pull and also a messy one.

Safety as well as digging the covers without drama

Buried tanks could be 6 inches listed below lawn or 3 feet down. If you may not find the tops, try to find cleanouts or where the sewage system series exits the house. Tanks commonly sit 5 to 15 feet coming from the base in accordance with that pipe. Probing delicately with a lengthy screwdriver may locate the sides. Get in touch with energy locate services if you are excavating more than a handful of inches in unknown ground. Gas and also electrical lines carry out certainly not consistently comply with straight paths.

Lids may be heavy. Cement covers press 60 to 120 pounds each, sometimes much more. Use 2 folks as well as proper lifting, and certainly never healthy over an available tank while prying. The gasolines can be harmful. Keep children and household pets away, and also cordon the location. If a cover is actually fractured, planning to change it. Much more than when I have raised a top that split as well as slid towards the opening. A \$120 replacement beats a crash every time.

What to ask for from the pushing crew

Good service providers welcome particular requests because it signals you are listening and will not balk at a decent statement. Ask to open up both access factors, suction all areas if it is actually a two-chamber tank, and also rinse or even swing angles and around baffles to remove awkward solids. Inquire to check out baffle condition as well as the visibility of an effluent filter.

Ask to assess film and muck just before they perturb. Some companies carry a very clear sampling pipe. Or even, a marked pole may determine coatings. Capture the dimensions and also tank measurements for your servicing data. On a 1,000 gallon tank, a typical healthy distribution could reveal 3 to 6 ins of unwashed as well as 8 to 12 inches of muck after 3 years. More prevails in heavy-use homes, and a lot less performs certainly not mean you need to miss service if you are currently scheduled.

Pumping, cleansing, and also when hydro-jetting belongs

Most pump-outs include vacuuming along with a stirring faucet to lift sludge. Cleaning can include a water rinse that takes residue off wall structures, under the scum mat, and around baffles. Hydro-jetting is actually a high-

pressure water technique. It has pair of principal usages:

- Scouring a stopped up or somewhat blocked line coming from the house to the tank when a snake is actually not enough.
- Cleaning an effluent filter or a tank wall along with obstinate build-up, typically as component of a detailed septic system cleaning.

Hydro-jetting is not the same as jetting a drain area. Do not allow anybody talk you right into high-pressure jetting of a field without a clear prognosis. Some specialized organizations use low-pressure directional cleaning on circulation laterals, however that is not a cure-all and it calls for mindful assessment. Aggressive pressure can easily relocate penalties into the soil as well as minimize body life.

What you must find during the visit

You will definitely hear the pump tone improvement as it lifts water and after that sediment. The operator might use a resource to break up the scum. They need to stay away from knocking the electrical outlet location therefore solids do not climb right into the field. Along with tops open, you may search for these indications:

- Inlet baffle or even tee in one piece and also certainly not cracked.
- Outlet baffle intact, filter current if set up, and flow not restricted through dustcloths or even wipes.
- Minimal backflow coming from the outlet when the tank is pumped down. A spurt back in to the tank can easily hint at a saturated range or a stuck check in a pump enclosure for enhanced systems.

A moderate earthy smell is ordinary. Tough chemical smells can suggest cleaning services or even repaint rinse water getting into the system. Bleach in regular family amounts are going to certainly not eliminate a tank, yet regular massive doses suppress microorganisms and also sluggish food digestion. If you scent solvents or see odd shades, speak about source control.

Deciding on repairs while the tank is actually open

Repairs are most inexpensive when the tank is at its most affordable degree and also covers are off. Take into consideration these while the workers gets on web site:

- Replace a missing out on or even falling apart baffle or tee. PVC tees are actually economical and also effective.
- Install or even substitute an effluent filter. Select a model sized to your regular flow. The proprietor must be able to draw as well as pipe it off throughout sewage-disposal tank maintenance intervals.
- Add risers to level for potential access.
- Seal minor invasion leaks where groundwater sneaks into the tank at a joint.

Small investments listed here guard the drain industry and also slice potential labor. I when possessed a property owner decline a \$180 electrical outlet tee substitute. Pair of years eventually, they contacted with emerging effluent over the area. The repair costs multiplied since solids had escaped and also polluted the soil.

What pumping does not fix

Pumping totally resets the tank's capacity. It does not fix up a neglecting drain field, treat a defective pipe, or even produce everything smell like roses. If your backyard is actually soft, or if the tank refills from the outlet promptly during pushing, the area may be filled. During that scenario, pushing may acquire you opportunity

while you minimize water usage and detect the area. A camera and pressure examination on the distribution package **hydro-jetting** or laterals may comply with. Clay dirt after a spring thaw often simulate breakdown symptoms. Provide the field a few dry out times before panicking.

Additives, chemicals, and also various other bottle promises

The quick version: most septic additives are needless as well as some are dangerous. A balanced diet regimen of **septic tank cleaning** house waste supplies micro-organisms. Chemicals may melt solids too soon, pushing all of them into the range. Harsh chemical surprise therapies that guarantee to open an area hardly help and can rinse contaminants right into groundwater. I keep a straightforward guideline. If you will not pleasantly drain a provided container in to your vegetable backyard, carry out certainly not put it in to your tank.

Post-service actions for a healthy and balanced reset

- Run water at a modest circulation right into the house drainpipe for a couple of minutes to validate cost-free circulation and venting.
- Resume regular water make use of slowly over 24 hours, certainly not all at once.
- Clean as well as re-seat the effluent filter if encouraged, and note the cleansing date.
- Walk the drainpipe field 24 to 48 hours later on to look for surfacing water or even odors.
- Update your files with day, volume pumped, as well as any repairs or even observations.

If you possessed heavy solids or even an ignored tank, you might discover a light sewer stench at the lawn air vent or even roofing system vents for a time. This vanishes. Indoors, slow drains pipes after company usually suggest an existing predisposed clog obtained annoyed rather than created. A quick snake from a cleanout to the tank generally fixes it.

Water usage in the initial full week after pumping

A recently pumped tank has less scalp stress on the outlet. Rapid increases of water can easily push tiny particles towards the filter. Area out washing, stay away from next showers, as well as leave out endurance dishwashing machine competes a number of days. If your home is actually huge, cue a brief family instruction. 5 mins of balance creates much more difference than a shelve of additives.

If your tank has an effluent filter and you performed a comprehensive septic system emptying and cleansing, expect to wash the filter once more after a week. Broken up penalties may pick up. A backyard pipe does the job. Put on handwear covers as well as eye protection, and also wash back right into the tank position, certainly not onto the lawn.

Keeping a basic upkeep log

Write down the pump date, tank measurements, the approximate film and sludge levels if evaluated, the problem of baffles as well as covers, as well as what you paid out. Incorporate notes regarding any sort of unique stench, appearing water, or filter cleansing. After two or even 3 patterns, you will certainly view your house's real period. When you sell your house, that log reviews like gold to a shopper or inspector.

Winter, rain, and also various other ecological wrinkles

Cold weather hardens oil. If you need to pump in deeper wintertime, quit making use of the home kitchen sink as a grease trap for a full week before the check out. In freezing weather, subjected risers without protection may create frost concerns. Some house owners wrap risers along with froth and also cover along with a discreet protected cap.

During incredibly damp seasons, groundwater can permeate right into tanks along with much older junctions. That can deceive you into presuming the tank creates even more effluent than it should. Lid seals as well as small mortar repairs aid. The drain industry may struggle too. Divert roof downspouts away from the ground and stay away from heavy tools on saturated soils. Compaction lowers oxygen in the dirt, which decreases treatment.

Garbage fingertips and wipes, the silent wreckers

Disposals grind meals into great particles, which perform certainly not go away. They simply work out in the tank faster and also can clean right into the field if the filter is overlooking or obstructed. If you should use a disposal, count on to shorten the interval in between pumpings. I usually say to disposal supporters to consider a little compost bucket on the counter. The distinction appears in the gunge layer.

As for wipes, even those labeled flushable resist malfunctioning in septic disorders. They snag on baffles and also filters, at that point pick up additional fragments. I have drawn basketball-sized ropes of wipes coming from outlet tees. They look like a sea monster and cost like one too.

When hydro-jetting a line is actually the wise move

If your principal line coming from our home to the tank is actually slow-moving as well as snaking has not cleared it, a targeted hydro-jet can easily scrub oil as well as cleansing soap build-up without taking out the water pipes. Ask the technician to camera the line afterwards. Travelling a line is common where the cooking area sink is incorporated near the tank or even the water pipes possesses a tummy that proves out. If the cam shows splits or even root invasion, jetting gets you time, yet plan a repair. Origins adore nutrient-rich humidity, as well as they always come back.

Costs to foresee and how to steer clear of surprises

Prices differ by location as well as accessibility. Assume a common pump for a 1,000 quart tank to selection coming from \$300 to \$600 in lots of locations, a lot more in high-cost urban areas. Cover digging can easily include \$50 to \$200 per cover depending upon intensity. Risers work \$150 to \$400 per position set up. Effluent filters cost \$60 to \$180 for the components [septic tank maintenance](#) and a bit for labor. Hydro-jetting a line may include \$200 to \$400. Seek a range in advance and also be very clear concerning the amount of lids are actually buried.

A small idea: be ready when they arrive. A 15 moment hold-up while the staff waits on you to find a hose pipe or even relocate a car appears on the invoice. It likewise welcomes rushed job to stay on schedule.

What you may do it yourself as well as what to delegate pros

You can safely perform a great deal. Find and subject lids, install risers **septic tank pumping** if you are actually confident and observe manufacturer directions, clean an effluent filter, lessen water bunch, and maintain a log. You may probe carefully to locate tank edges and also note all of them for future gos to. You may observe and also take photos of baffles as well as risers once the lids level as well as the pro says it is actually secure to approach.

Leave confined space entry to experts. Certainly never climb into a septic system. Gases like hydrogen sulfide may take you out along with a solitary respiration. Leave architectural repairs to tanks, concrete patching near junctions, as well as any sort of electrical deal with pumps or even alarm systems to licensed folks. If your device includes a cardio treatment unit, comply with the producer's maintenance schedule and also perform certainly not improvise. Those devices are actually a lot more like small treatment plants than easy tanks.

Indicators your drainpipe field needs to have attention

If after pumping you still smell sewerage outdoors, or even if wet places persist over the industry in completely dry weather, it is actually time to look into. Expect greener red stripes where the laterals operate, specifically in summer season. Unexpectedly quick tank refilling from the channel, monitored throughout pushing, proposes backflow coming from a saturated or even obstructed area. Dye examinations and also camera examinations can clarify what you are actually handling. Occasionally the fix remains in the distribution box where circulation has actually gone irregular. Other times, soils are simply worn as well as need rest or replacement.

When replacement looms, look at low-impact tactics like rotating fields or even including a dosing tank to parallel flows. These are concept discussions with your installer and also local code authorities. Early indications spotted throughout routine septic tank maintenance offer you additional options.



A realistic program that keeps you away from trouble

Aim for these behaviors. Pump every 3 to 5 years based on gauged levels as well as household size. Clean the effluent filter every 6 to 12 months, more frequently if you possess a disposal. Spreading laundry through the week instead of on one endurance time. Always keep oil, paint, solvents, as well as mop-bucket chemicals out of the device. Make use of toilet paper that breaks down quick as well as steer clear of wipes. Stroll the industry a number of opportunities a year. If you observe mushrooms or even deep-seated trees shifting towards the field, guide roots away or eliminate all of them before they locate the moisture.

Finally, address pushing day as an odds to know. Ask questions, keep in mind, as well as break an image of the inside of the tank with the baffles and filter apparent. 5 minutes of focus throughout septic tank pumping brings in the upcoming check out much easier and also much cheaper. You will certainly understand where traits are actually, what ordinary seem like, and how to detect issue early. That is the center of septic tank maintenance - constant, simple steps that safeguard the body you hardly think about until it fails.

Tank It Easy Colorado Springs provides septic tank pumping

Tank It Easy Colorado Springs offers septic tank cleaning

Tank It Easy Colorado Springs provides septic system maintenance

Tank It Easy Colorado Springs serves Colorado Springs Colorado

Tank It Easy Colorado Springs serves El Paso County Colorado

Tank It Easy Colorado Springs supports residential septic systems

Tank It Easy Colorado Springs supports commercial septic systems

Tank It Easy Colorado Springs offers hydro jetting services

Tank It Easy Colorado Springs's hydro jetting removes debris from septic pipes

Tank It Easy Colorado Springs's septic tank pumping prevents septic system backups

Tank It Easy Colorado Springs's routine septic maintenance extends septic system lifespan

Tank It Easy Colorado Springs helps homeowners maintain septic systems

Tank It Easy Colorado Springs provides preventative septic maintenance

Tank It Easy Colorado Springs's septic tank cleaning improves septic system performance

Tank It Easy Colorado Springs operates in Colorado Springs Colorado

Tank It Easy Colorado Springs is a septic service company

Tank It Easy Colorado Springs provides septic system tune ups

Tank It Easy Colorado Springs's septic maintenance prevents costly septic repairs

Tank It Easy Colorado Springs focuses on reliable septic services

Tank It Easy Colorado Springs provides affordable septic services

Tank It Easy Colorado Springs has a phone number of (719) 359-8832

Tank It Easy Colorado Springs has an address of Colorado Springs, CO 80917

Tank It Easy Colorado Springs has a website <https://tankiteasycosprings.com/>

Tank It Easy Colorado Springs has Google Maps listing <https://maps.app.goo.gl/ab9qJWakKK4xk8xUA>

Tank It Easy Colorado Springs has Facebook page <https://www.facebook.com/profile.php?id=61573216902188>

Tank It Easy Colorado Springs has an YouTube channel <https://www.youtube.com/@TankItEasyCO>

Tank It Easy Colorado Springs won Top Septic Tank Pumping Company 2025

Tank It Easy Colorado Springs earned Best Customer Service Septic Tank Cleaning Award 2024

Tank It Easy Colorado Springs was awarded Best Septic Tank Emptying 2025

People Also Ask about Tank It Easy Colorado Springs

How often should I get my septic tank pumped

Most households should have their septic tank pumped every three to five years. The exact schedule depends on factors such as household size water usage habits tank size and the amount of solids that accumulate in the tank.

What factors affect how often a septic tank should be pumped

The frequency of septic tank pumping can vary depending on household size daily water usage the size of the septic tank and how quickly solid waste builds up inside the system.

What are signs that my septic tank needs pumping

Common warning signs include slow draining sinks or toilets sewage backing up into drains foul odors near the tank or drain field standing water near the drain field and visible sewage on the ground.

Should I use septic tank additives

Most experts recommend avoiding septic tank additives because they can disrupt the natural bacteria that help break down waste inside the septic system.

What should I do before getting my septic tank pumped

Before pumping locate the septic tank access lid clear the area around the lid and inform your septic service provider about any issues you may have noticed with your system.

What should I do after my septic tank is pumped

After pumping continue normal water usage but avoid flushing grease chemicals or non biodegradable materials down your drains to keep the septic system functioning properly.

How can I extend the life of my septic system

You can prolong the life of your septic system by conserving water avoiding flushing non biodegradable items limiting garbage disposal use and scheduling regular inspections and pumping services.

Can I pump my septic tank myself

Although it may be technically possible it is strongly recommended to hire a professional septic service to ensure safe pumping proper waste disposal and a complete system inspection.

Why is regular septic tank pumping important

Routine septic pumping removes accumulated solids from the tank which helps prevent system backups protects the drain field and avoids expensive repairs.

What happens if a septic tank is not pumped regularly

If a septic tank is not pumped regularly solid waste can build up and clog the system leading to sewage backups drain field damage unpleasant odors and costly system failures.

Why should I choose Tank It Easy Colorado Springs for septic tank pumping

Tank It Easy Colorado Springs provides reliable septic tank pumping and maintenance services for homeowners in Colorado. Tank It Easy Colorado Springs focuses on preventative maintenance professional service and helping customers keep their septic systems working properly.

How often does Tank It Easy Colorado Springs recommend pumping a septic tank

Tank It Easy Colorado Springs generally recommends septic tank pumping every three to five years depending on household size tank capacity and water usage. Tank It Easy Colorado Springs can inspect your system and recommend the best pumping schedule for your property.

What septic services does Tank It Easy Colorado Springs provide

Tank It Easy Colorado Springs provides septic tank pumping septic tank cleaning septic system maintenance and hydro jetting services. Tank It Easy Colorado Springs helps homeowners maintain efficient septic systems and prevent costly repairs.

Does Tank It Easy Colorado Springs provide septic services for residential properties

Tank It Easy Colorado Springs provides septic services for residential septic systems throughout Colorado Springs and surrounding areas. Tank It Easy Colorado Springs helps homeowners maintain healthy septic systems through pumping cleaning and preventative maintenance.

How does Tank It Easy Colorado Springs help prevent septic system problems

Tank It Easy Colorado Springs helps prevent septic system problems by providing routine septic pumping inspections and maintenance. Tank It Easy Colorado Springs also educates homeowners on proper septic system care to reduce the risk of backups and system failure.

Where is Tank It Easy Colorado Springs located?

The Tank It Easy Colorado Springs is conveniently located in Colorado Springs, CO 80917. You can easily find directions on [Google Maps](#) or call at [\(719\) 359-8832](tel:7193598832) Monday through Sunday 24-Hours a day

How can I contact Tank It Easy Colorado Springs?

You can contact Tank It Easy Colorado Springs by phone at: [\(719\) 359-8832](tel:7193598832), visit their website at <https://tankiteasycosprings.com/> or connect on social media via [Facebook](#) or on [YouTube](#)

After enjoying outdoor activities at [Memorial Park](#) local residents often add septic tank maintenance to their home maintenance checklist.