

Selecting the right **horse feed** in summer is more than adding energy and instead about supporting **hydration**, **digestive health**, and a steady supply of usable nutrients. With more **grazing**, higher temperatures, and often a change in **workload**, **summer horse feeding** needs a balanced approach. The best results usually come from a **forage first** plan, careful use of **hard feed**, and close attention to **body condition score**.

Summer diets should help a horse stay cool, maintain **bodyweight**, and keep **gut health** stable. That means looking at what the horse eats, how much exercise it does, how much **pasture** it has, and whether the diet is balanced for **nutrient requirements**. In many cases, the best answer is not more feed, but the right type of feed in the right amount.

What varies in a horse's diet in summer?

Summer changes a horse's diet in a number of key ways. The largest difference is usually access to **grazing** and fresh **pasture**, which can increase the amount of fiber, water, and sugar in the diet. That influences **hydration**, energy intake, and digestive function. A horse on regular **pasture turnout** may need less bucket feed than it does in winter, but it still needs a balanced diet.

Hot weather also adds to the risk of **heat stress**. Horses may lose more fluid through sweat, drink less than expected, or lose **electrolytes**. This makes hydration balance a central part of summer horse feeding. A horse may need more access to clean water, salt, and electrolytes, especially if it is in work. If appetite drops in the heat, highly palatable feed can help maintain intake without overloading the digestive system.

Another change is the quality of forage. Summer grass can be rich in **sugar**, which may suit some horses but not others. Horses prone to weight gain, laminitis, or metabolic issues may need tighter control of grazing and a diet that stays **low sugar** and **low starch**. On the other hand, hard-working horses may need enough digestible energy to support performance without excessive starch.

The main goal is to adjust feeding to the season, not to feed the same ration all year. Summer feeding should be guided by condition, workload, and the amount of roughage already coming from the field or paddock.

Which types of horse feed work best in hot weather?

The best **types of horse feed** for hot weather are usually those that promote digestive health, help the horse eat consistently, and limit abrupt bursts of energy. That usually means a ration built around **forage** with a thoughtfully chosen bucket feed if needed. The right feeds depend on the horse's work, condition, and forage access.

Forage is the foundation of the feeding plan. High-quality **dried grass** or **wrapped forage** can be used if grazing is not enough or if grass is sparse. For horses that maintain condition easily, forage may be enough on its own. For horses needing extra support, the next step is often a **complete horse feed** or a **feed balancer**, depending on how much extra energy is needed.

A **complete horse feed** can be helpful because it is designed to deliver fibre, vitamins, and minerals in one product. A lot of them are made to be **low starch** and **low sugar**, making them appropriate for summer when digestive comfort counts. This can be a convenient option for horses that need a simple diet and reliable nutrient intake.

For horses that just need vitamins, minerals, and amino acids to support grazing and forage, a balancer may be a better choice than a full hard feed ration. That helps reduce unnecessary calories while still meeting nutrient

requirements. Horses in harder work may need a feed with greater digestible fibre and some starch, but the aim should still be to keep the diet as calm and stable as possible.

When comparing feed options, look for:

- Elevated digestible fibre content
- Medium or low starch levels
- Restricted sugar content
- Solid vitamin and mineral coverage
- Easy-to-follow guidance on feeding rate by bodyweight and workload

In the summer, the ideal horse feed is typically one that provides energy without excess heat-producing starch. That does not mean starch must always be avoided, but it needs careful management and tailored to exercise levels.

Bifid UK

+44 800 422 0888

sales@bifid.co.uk

<https://bifid.com/uk/>

Should you reduce hard feed in summer?

In many cases, yes. **Hard feed** often needs to be reduced in summer because pasture and grazing can provide more of the diet already. If a horse is on good grass, the amount of bucket feed may be exceed what it needs. Reducing **feed quantity** can help prevent too much weight gain and limit digestive strain.

That said, the best approach depends on **workload**. A horse in light work may need very little hard feed, while a competition horse, a poor doer, or a horse with a demanding schedule may still need additional energy. The principle is to feed according to output, not season alone. Summer simply alters what the horse is already getting from forage and pasture.

If reducing hard feed, do it gradually. Sudden changes can affect the hindgut and upset appetite. Keep an eye on energy levels, coat condition, and body condition score. If the horse begins to slim down, becomes dull, or struggles to recover after exercise, the ration may need tweaking.

Some horses do better when the hard feed is swapped with more forage-based calories rather than a dense cereal mix. This supports digestive health and can decrease the risk of sharp energy peaks. For many owners, the best summer strategy is to reduce bucket feed where possible, but keep the ration nutritionally balanced and appropriate for the horse's actual workload.

How horse feeding rules change in summer

Horse feeding rules do not go away in summer; they just become more important. The classic **10 rules of feeding horses** still apply, but summer conditions make some of them especially relevant. The most important **horse feeding advice** is to put first forage, water, consistency, and careful observation.

- Give **forage first** and base the diet around roughage.
- Keep clean water at all times to support hydration.
- Choose feed that matches workload and body condition.
- Make ration changes step by step.

- Keep feeding times as consistent as possible.
- Avoid overfeeding energy to horses that are already getting rich pasture.
- Supply minerals and vitamins even when bucket feed is reduced.
- Replace electrolytes if the horse sweats heavily.
- Monitor bodyweight and body condition score regularly.
- Watch for signs of digestive upset, heat stress, or reduced appetite.

These rules matter because summer can hide problems. A horse may look bright on the surface, yet still have a poor hydration balance or be getting too much sugar from grass. Feeding choices should support stable **gut health** and consistent energy release.

A sensible summer plan is to review the whole diet, not just the bucket. Grazing, forage, hard feed, supplements, and exercise all interact. Good horse feeding rules are about matching the ration to the horse's real needs.

How to read a horse feeding chart

A **horse feeding chart** is valuable because it helps owners weigh up feed amounts against bodyweight, work level, and condition. It is not a fixed answer for every horse, but it gives a baseline for building a **daily ration**. A chart also helps you see when a horse is getting not enough forage or excessive hard feed.

One of the most practical measures is **body condition score**. This tells you whether the horse is underweight, ideal, or carrying excess cover. In summer, a horse may maintain condition on pasture alone, while another drops weight because of work or heat. A feeding chart helps you react in a systematic way instead of guessing.

To apply a chart well:

- Estimate the horse's **bodyweight** carefully.
- Check body condition score rather than relying on appearance alone.
- Look at how much forage and pasture the horse already has.
- Match bucket feed to the horse's workload.
- Adjust the daily ration gradually if condition changes.

A chart is most useful when combined with real-world observation. If the horse is losing topline, appearing flat, or not recovering well after exercise, the chart may need reviewing. If weight is creeping up, reduce energy intake and review grazing access. The chart is a reference, not a replacement for judgment.

How much horse feed should a horse get in summer?

No single answer exists to how much **horse feed** a horse should get in summer, because the right amount is influenced by bodyweight, workload, forage intake, and pasture quality. A **horse feed calculator uk** can be helpful as a starting point, but it should always be matched with the horse in front of you. Summer diets often need less hard feed and more emphasis on roughage.

The central question is not just how much bucket feed to give, but how much total forage the horse is eating. **Forage intake** from grass, hay, and haylage may already cover a large part of the horse's energy needs. If the horse is on lush pasture, additional feed may need to be minimal. If the horse has limited grazing, then forage and bucket feed each matter most.

A useful **horse feeding chart** often is built on hay as the core and then includes concentrate or balancer according to exercise level. Horses in easy work may only need a balancer and roughage. Horses in moderate to

heavy work may need a more substantial feed, but still not so much starch that it causes digestive problems.

In practical terms, ensure the ration promotes condition, not just calories. If a horse is holding a healthy body condition score, shows good energy, and is eating well, the amount is probably near the correct amount. If you are uncertain, use a calculator as a guide, then evaluate the diet weekly.

What should beginners know about summer horse feeding?

For **horse feed for beginners**, the simplest advice is to keep the diet steady, forage-based, and easy to monitor. Summer can make feeding seem simpler because horses may get more grass, but it can also make it trickier to judge what the horse really needs. Good **horse feed advice uk** often starts with consistency and careful watching rather than complex feeds.

A strong **feeding routine** matters. Feed at the same times each day where possible, provide constant access to water, and keep forage available so the horse does not have big gaps without fibre. Beginners should learn to assess body condition and watch for changes in appetite, droppings, hydration, and behaviour.

It is also important to know that not every horse needs a substantial hard feed. Some horses do best with hay, grazing, and a balancer. Others need more support because of work, age, or poor condition. Beginners should avoid copying another horse's ration without checking whether the workload and pasture access are truly similar.

If you are new to summer feeding, start by asking three questions: how much grazing does the horse have, how much work is it doing, and is the horse maintaining bodyweight? Those answers usually point to the most suitable type and amount of feed.

Which horse feed brands and companies are commonly chosen?

There are numerous **horse feed companies** on the market, and owners often choose products based on forage provision, condition management, or performance needs. Some brands are widely recognised, including **spillers horse feed**, which is often considered by owners looking for a varied range of feed types and balancers.

Brand choice should begin with the **feed labels**. Labels tell you the main energy source, starch and sugar levels, fibre content, and whether the product is a full **complete horse feed** or a complementary feed. This is especially important in summer, when a feed that looks right at first sight may be too rich for a horse already getting plenty of pasture.

When reviewing brands, assess:

- Digestible fibre
- Starch, sugar, and carbohydrate levels are important
- Whether the feed is complete or needs forage alongside it
- Appropriateness for light, moderate, or hard work
- Coverage of minerals and vitamins in the feed

Different horse feed companies may provide similar products, but the details matter. A good label helps you choose the feed to the horse's body condition score, workload, and forage access. In summer, the best brand is the one that fits the ration, not necessarily the one with the biggest name.

How much does horse feed cost in summer?

Horse feed cost depends depending on feed type, quality, and how much the horse needs. If you are asking **how much does horse feed cost** in summer, the answer depends on whether the horse is mainly on forage and grazing or needs a full bucket feed. In many cases, summer can cut feed bills if pasture provides a large share of the diet.

A sensible **budget** should include not just bucket feed, but also hay, haylage, balancers, electrolytes, and supplements where needed. Horses that sweat heavily may need extra support for hydration and electrolytes, and that should be counted as part of the total feeding cost. A horse on limited grazing may still need significant forage, so summer does not always mean lower costs.

To manage cost well:

- Use forage efficiently and avoid waste
- Feed only what the horse needs for its workload
- Choose a balancer if full hard feed is unnecessary
- Check whether the horse is overfed on rich pasture
- Compare the cost per day, not just the bag price

The lowest-cost option is not always the best if it fails to support digestive health or condition. The best budget decision is usually the one that keeps the horse healthy, avoids waste, and matches the summer ration to actual need.

Can you make a horse feed mix recipe at home?

Yes, you can make a **horse feed mix recipe** at home, but it must be done carefully to maintain **ration balance**. A home mix can be useful for owners who want to control ingredients, but it is easy to get the balance wrong if the diet lacks vitamins, minerals, or amino acids. That is why a **balancer** is often the safest way to support a home-made ration.

If mixing a mix, keep the base simple and grass-based. The goal should be a low-risk easily digested diet rather than a complex recipe. Many horses do well with water-soaked or pelleted fibre sources, a nutritional balancer, and a small amount of condition feed if needed. This supports support energy without raising starch too high.

Important points for a home mix:

- Keep starch low unless the horse truly needs it
- Use ingredients that provide digestible fibre
- Include a balancer for vitamin and mineral coverage
- Check the feed against the horse's exercise load and bodyweight
- Review body condition score regularly

Home mixing can work, but the diet must still cover nutrient requirements. If you are unsure, select a proven commercial feed or ask for help fine-tuning the ration. A recipe is only useful if it maintains health consistently over time.

When should you ask for horse feed advice?

You should ask for **horse feed advice uk** whenever the horse's condition, effort, or digestion changes and the cause is not obvious. A **vet** should be involved if there are signs of illness, weight loss, poor appetite, loose

droppings, colic risk, or suspected metabolic problems. A qualified **nutritionist** is helpful when you need a ration designed around bodyweight, workload, grazing access, and condition goals.

This matters most if:

- The horse is dropping or gaining weight quickly
- There are signs of heat stress or poor hydration balance
- Grazing changes suddenly
- You are unsure whether the horse needs more forage, less hard feed, or a different type of feed
- The horse has special needs such as laminitis risk, poor teeth, or competition demands

Good horse feed advice is practical and specific. It should help you pick the right feed quantity, support digestive health, and make feeding easier to manage. If you are ever unsure, professional input is worth it, especially during summer when pasture and heat can alter the ration quickly.

Common questions about giving feed to horses in summer

What's the best horse feed for summer?

The most suitable **horse feed** for summer is usually based on forage and tailored to the horse's workload and body condition score. For plenty of horses, that means high-quality hay, haylage, or grazing, plus a low starch balancer or a **complete horse feed** if additional nutrients are needed. The best option is the one that supports hydration, digestive health, and steady energy without overloading the horse on sugar or starch.

Do horses need less hard feed in hot weather?

Usually yes, because summer grazing and pasture can already provide more energy and fibre. Reducing **hard feed** may help avoid weight gain and support gut comfort. However, the final amount depends on **workload**, body condition, and how much forage the horse is already eating. Some horses still need a proper bucket feed, especially if they are in regular work.

What amount of forage should a horse have in summer?

Forage should continue to be the foundation of the diet, whether it comes from grass, hay, or haylage. The exact amount depends on bodyweight, pasture quality, and the rest of the ration, but summer feeding should always protect **forage intake**. If grazing is limited or the horse is losing condition, add hay or haylage to keep fibre intake stable.

Is a complete horse feed appropriate for summer feeding?

Yes, a **complete horse feed** can be suitable in summer, especially if it is designed to be low-starch and low sugar. It is often useful when you want a easy ration that provides fibre, vitamins, and minerals in one product. It can work well alongside forage and grazing, provided the amount is adjusted to the horse's workload and body condition.

What is the best way to know if my horse needs a feed calculator or feeding chart?

If you are unsure how much to feed, a **horse feed calculator uk** or **horse feeding chart** is a helpful place to start. These tools help you estimate a suitable daily ration based on bodyweight, workload, and condition. They

are especially useful if the horse is putting on or shedding weight, getting more or less grazing, or changing work level. Use them as guides, then check the horse's body condition score and [Get More Info](#) adjust gradually.