Business Name: Elite Sanitation Services
Address: Saucier, MS 39574
Phone: (228) 297-4850

Elite Sanitation Services

Since 2016, Elite Sanitation Services has been the premier provider for all your sanitation needs. We deliver comprehensive solutions. Our expert team ensures seamless service for events and construction sites, handling everything from septic system services to grease trap pump-outs and jetting services. We are dedicated to providing superior sanitation services with unmatched reliability and professionalism.

View on Google Maps
Saucier, MS 39574
Business Hours

- Monday through Sunday: Open 24 hours

Follow Us:

- Facebook: https://www.facebook.com/petrosepticinspections/

🤖 **Explore this content with AI:**

ChatGPT 🔍 Perplexity 🤖 Claude 🌑 Google AI Mode 🐓 Grok

Grease management is not glamorous, but it may be the most essential back-of-house routine your kitchen area builds. When a dining-room is complete and tickets are flying, the last thing you need is a sluggish sink, a sour smell wandering through the pass, or a health inspector requesting maintenance logs you do not have. A well run grease trap program prevents clogged up lines, keeps you on the best side of regional codes, decreases emergency situations, and conserves cash you would otherwise invest in corrective plumbing.

I have opened restaurants the old fashioned method, with a taped layout and a head loaded with hope, and I have been in the mechanical space on a holiday weekend while a meal pit supported. The distinction between those two nights boiled down to a few practical choices made months previously. This guide covers what I have actually seen work throughout quick-service counters, full service kitchens, commissaries, and bakeshop plants: how grease traps function, how typically they really require service, what an expert grease trap company does, and what your group can handle in house.

What a grease trap actually does

Kitchen wastewater brings a mix of fats, oils, and grease, normally shortened to FOG. Warm water and cleaning agents can keep FOG suspended for a brief time, but as the water cools, grease separates and floats. A grease trap or interceptor is a settling device in the drain line that slows the flow, offers FOG time to rise, and catches it so cleaner water passes downstream. The objective is straightforward: keep FOG out of your drains pipes and the local drain, where it triggers obstructions and fines.

Small indoor traps are frequently passive gadgets under a sink or floor drain. Bigger outdoor interceptors can be 750, 1,000, or 1,500 gallons and sit between the building and the local tie-in. Both have baffles that control circulation and avoid grease from leaving downstream. When grease collects past a limit, effectiveness drops

sharply. The trap starts pushing grease into your lines, and you get what every kitchen area supervisor dreads: a backup at peak hour.

There is an easy rule that most codes accept. When the combined grease and solids volume reaches 25 percent of the trap's working volume, it is time to pump and clean. I have actually seen kitchen areas extend past that mark believing they were conserving money, then pay a numerous of the savings to a plumbing technician on a Saturday night.

Codes set the flooring, not the ceiling

Requirements differ by city and county, however the pattern is consistent. Regional pretreatment regulations forbid releasing oil and grease above a set limitation, typically 100 to 250 mg/L at the tasting point. They require setup of a correctly sized grease trap or interceptor and anticipate documents of regular maintenance. Some jurisdictions need manifest slips for each pump out, kept site for 2 to 3 years.

Do not rely just on an authorization plan evaluate from years ago. If you are altering menu volume, adding a tilt frying pan, or transferring to a commissary model, verify whether your existing gadget still fits the load. Regulators care about your actual discharge, not what when worked for a smaller sized line. I have actually had inspectors accept a 90 day frequency on paper, then request for a 60 day schedule when a compliance sample returned oily after a seasonal menu added more fried items.

Two practical steps make assessments smoother. Initially, keep a binder or digital folder with your maintenance logs, waste manifests, and the trap's as-built or spec sheet. Second, mark the interceptor covers and make sure staff know where they are. An inspector who can validate records and access the device quickly is an inspector who carries on quickly.

Sizing and load: get this wrong and you chase after problems

The right size depends upon component flow rates and cooking load. A small bakery with a three-compartment sink and minimal fryers can manage with a compact under-sink system. A sit-down dining establishment with a busy meal device, preparation sinks, and a fryer bank normally requires a larger in-line trap or an outside interceptor. Commissaries and food halls that serve numerous concepts usually require a large outdoor unit.

Undersized traps fill too fast, so even with regular pumping they throw grease past the baffles. Large systems can go anaerobic and turn septic if you do stagnate enough water through them, particularly in seasonal operations. If you acquired a website and do not understand the sizing, a good grease trap service provider can measure measurements, estimate volume, and recommend based upon your ticket counts and devices list. That ten minute discussion frequently conserves months of frustration.

I like to calculate anticipated filling in pounds per week utilizing purchase logs for oil and butter, then peace of mind check the number versus trap volume and turnover. If you are going through 200 pounds of frying oil per week and your under-sink unit is 20 gallons, a regular monthly schedule is not sensible. You will be in there every two to three weeks or you will be handling callbacks and line clogs.

What a professional grease trap company in fact does

Good suppliers do more than vacuum a tank. They supply a complete grease trap service that brings back capability, documents disposal, and helps you avoid repeat issues. Expect a proper pump out to consist of more than a quick skim.

Here is a basic step-by-step of a comprehensive service carried out by a reputable grease trap company:

1. Locate and expose the trap or interceptor lids, aerate if essential, and validate safe conditions for entry. Outside tanks are confined areas, so experienced techs use gas screens and follow security procedures.
2. Measure and record grease, water, and solids levels before pumping. This pre-pump reading works for tracking fill rates and adjusting frequency.
3. Pump out all contents, not just the grease cap, then scrape and wash down walls, baffles, and the lid to get rid of stuck material. Techs will also get rid of and clean detachable tees and baskets.
4. Inspect the inlet and outlet baffles, gaskets, and structural integrity. Note fractures, missing out on tees, rusted hardware, or displaced baffles that can short-circuit flow.
5. Reassemble, refill the trap with clean water to bring back the hydraulic seal, and offer a manifest that lists volumes, disposal site, and any repair recommendations.

If your supplier can not discuss their procedure or dislikes water refill since it includes time, you will end up with smell grievances and poor separation. Water is part of the system. A trap returned to service empty ends up being a stink box.

How often ought to you pump and clean

The calendar answer is simple to quote and often wrong in practice. Numerous kitchen areas do well on a 30 to 60 day interval for small indoor traps, and 60 to 90 days for outdoor interceptors. Buffets, high fry volumes, and barbecue ideas pattern much shorter. Sushi and salad heavy menus trend longer. The trap does not care what a design template says, it cares how much grease it receives.

Use the 25 percent guideline as a measuring stick for the first couple of cycles. Ask your grease trap company to tape pre-pump levels for the very first 3 services. If you hit 25 percent before your scheduled date, shorten the period. If you are consistently below 15 percent, you can likely extend by a number of weeks. The right schedule pays for itself with less emergency situations and longer drain life.

Watch for seasonal swings. College town? Anticipate a peaceful summertime and a spike in September. Beach destination? Inverse pattern. Catering services and food trucks that utilize a commissary kitchen will fill traps in bursts around event seasons. Build the rhythm around the calendar you really live.

The difference between traps and interceptors

People utilize the terms interchangeably, but the devices behave in a different way. A compact in-line trap might have a working volume determined in 10s of gallons. It fills quickly, is available, and can be cleaned up without heavy equipment. An outdoor interceptor holds hundreds to countless gallons, records a lot of load, and requires a pump truck to service.

I have seen staff try to fix a sluggish interceptor by excessive using emulsifying detergents upstream. It looks like a fast win because sinks start to stream. The grease is not gone. It moved deeper into the line and can establish downstream where it is far harder to reach. The best repair was a proper pump out and a frank talk about cooking area practices.

Kitchen routines that make grease traps work better

The most inexpensive way to maintain a trap is to slow the amount of FOG you send out into it. A few front-line habits add up. Scrape plates and pans into the garbage before cleaning. Usage sink strainers and empty them

often. Train staff not to dump fryer oil into sinks, ever. Maintain your dishwashing machine and pre-rinse nozzles so you are not blasting grease deeper into the line. Keep a labeled drum or lug in the getting area for utilized fryer oil and work with a recycler. Your grease trap company may even collaborate recycling and credit you a few cents per pound.

Avoid caustic drain openers and heavy emulsifiers as a routine crutch. They can heat up and melt grease short term, then let it re-solidify farther down. Enzyme and germs ingredients are hit or miss. In small traps with steady circulation they can help in reducing residue, but they are not a replacement for mechanical removal. If you wish to attempt them, do it along with determined pumping intervals and inspect lead to your logs.

Simple front-of-house checks that avoid back-of-house headaches

A manager's walkthrough can identify small issues before they become service calls. You do not require to open covers or get dirty, simply keep your senses on.

- A brand-new sour or rotten egg smell in the meal area frequently indicates a dry trap, missing out on gasket, or cover not seated after a current service.
- Slow drains at numerous components mean downstream buildup, not just a local sink obstruction. Call your supplier before a busy weekend.
- Gurgling sounds when a dishwashing machine dumps may imply the outlet tee is loose or missing. That can press grease downstream.
- Grease sheen at a parking area cleanout indicates the interceptor is unpaid or a baffle has failed.

Note patterns and pass them to your grease trap cleaning provider with dates and times. Good notes reduce diagnostic time.

What a great maintenance log looks like

A paper log on a clipboard near the supervisor's workplace works fine, as long as it is utilized. A spreadsheet or app is even much better if you run multiple locations. Each entry needs to note the date, supplier, pre-pump grease portion if offered, volume got rid of for big interceptors, disposal manifest number, and any concerns found. I like a basic notes field to catch what line cooks observed that week. That scrap of context often explains why fill rate increased, such as a catering push or a fryer leak.



When you bid out services, suppliers who ask for your past two to three cycles of logs are most likely to set an honest schedule. Vendors who quote a rock-bottom rate without seeing your operation often make it up in trip adders and emergency fees.

Choosing the ideal grease trap company

Price matters, but a low sticker can cost more in the long run if you see repeat blockages or poor documents. Try to find a track record in your city, proof of disposal at allowed centers, and professionals who comprehend both indoor traps and outdoor interceptors. Ask whether their grease trap service consists of full pump out, baffle cleaning, water refill, and a post-service list. Insurance coverage and security accreditations are nonnegotiable if they will service big outdoor tanks.

Ask about action times for emergency situations. A supplier with a night and weekend truck deserves a modest premium when you lose a Saturday to a backup. If your structure has tight gain access to, validate their hose pipe length and whether they can service from the street without blocking your whole lot. City inspectors tend to understand the dependable operators. Without naming names, I have had more consistent experiences with companies that purchase tech training and path preparation than with clothing that treat grease trap cleaning as an afterthought to septic work.

Costs and what drives them

Expect small indoor trap cleanings to run in the range of 100 to 300 dollars per check out depending on region, access, and frequency. Large outdoor interceptors differ widely, generally 300 to 1,200 dollars per pump out, driven by tank size, volume eliminated, and tipping fees at the disposal facility. Travel distance, after-hours service, and tough access can add surcharges.

If a quote seems too excellent, inspect what is included. I as soon as examined an area that paid for an inexpensive skim service. The supplier got rid of the floating grease layer but left the settled solids and did unclean baffles. The trap struck the 25 percent threshold in 2 weeks anyhow, and downstream lines kept plugging. The greater priced vendor who did a full service every 6 weeks actually cost less over the quarter when you factored in prevented pipes calls.

Repairs and when to replace

Traps and interceptors are basic gadgets, but parts do use. Gaskets on indoor units dry and crack, causing smells. Baffle tees can remove and rattle loose. Outside concrete tanks can develop cracks, and steel lids wear away. A great technician will flag small problems before they intensify. Changing a gasket or a tee is a modest cost and an easy add-on to a scheduled service. Changing a failed interceptor is a capital project with licenses and site work. Do not put off small fixes if you want to prevent big ones.

I have also seen old traps installed backwards, with inlet and outlet reversed. Symptoms consist of turbulence, continuous smells, and bad separation no matter how typically you clean. A fast evaluation and re-pipe fixed what had looked like a curse.

Special cases: food trucks, ghost kitchens, and seasonal venues

Mobile systems and ghost kitchens toss curveballs. Food trucks frequently count on commissary cooking areas for wastewater disposal. Make certain the commissary's trap can manage the bursts of circulation when multiple trucks return at the same time. Stagger dump times if needed. Ghost kitchens load multiple high-output menus into compact footprints, which can overwhelm a little shared trap. In those areas, a higher service frequency and stringent pre-scrape policies are the only way to remain ahead.

Seasonal locations, from ballparks to ski resorts, live through feast and scarcity. In the off season, traps Septic Pumping can go septic if left idle. Arrange a pump out before shutdown, fill up with water, and prepare an early season service before the very first rush. A small dose of approved deodorizer after cleaning can assist throughout long idle periods, however consult your vendor to prevent chemicals that hurt downstream treatment plants.

Odor control without gimmicks

Most trap smells trace to one of 3 causes: a dry trap without a water seal, breaking down solids since the pump-out period is too long, or a bad gasket. Repair the origin first. Water refill after service is essential for indoor traps. On outdoor interceptors, make sure lids seat well and vents are clear. Triggered carbon filters on vents can assist near patio areas, but they are a bandage. If you smell sulfur, check for a missing or split cleanout cap.

Avoid putting bleach into a trap. It will eliminate practical germs downstream and can develop unsafe gases in confined spaces. If you must deodorize, utilize items developed for grease systems in modest quantities and as part of a schedule that moves material out regularly.

What takes place to the grease after pump out

This is not simply trivia. Regulators ask, and your guests care. Pumped product gets transferred to permitted centers. There, FOG is separated and can be processed into biofuel feedstock or utilized in anaerobic food digestion to create biogas. The staying water is treated. Your manifest files that chain. Work with a supplier that handles waste properly and can describe their disposal course. If a price is dramatically lower than rivals, fret about where the waste is going.

Recycled fryer oil is a various stream, normally collected in a dedicated container, not from the trap. Keeping those streams separate is much better for your wallet and the environment. Some recyclers offer rebates for clean yellow grease. Trap waste, loaded with food solids and water, expenses money to process.

Training the team without overcomplicating it

New hires must find out 3 basics on day one. Scrape food into the trash before the sink. Never ever put fry oil down a drain. Report slow drains pipes and odors to a supervisor right away. That is it. If you embed those habits and hang an easy indication near the meal pit, your grease trap will currently be ahead of the average.

Managers should understand the service schedule, where the trap or interceptor is located, and how to read the last manifest. A five minute huddle before a hectic season goes a long method. I like to set calendar reminders a week before each arranged service to confirm gain access to with the supplier, clear parked automobiles from interceptor lids, and prep staff that a tech will be on site.

A fast manager's list for the week

- Look over the maintenance log and validate the next grease trap cleaning date is on the calendar.
- Walk the meal area and the interceptor covers outdoors, looking for brand-new smells or standing water.
- Verify strainers are in place at sinks and that staff are scraping plates before washing.
- Confirm the utilized oil container is not overflowing and lids are protected to discourage pests.
- If you had a menu shift or a big catering push, flag it in the log so your grease trap company can adjust frequency if needed.

Keep it simple, keep it consistent, and the system will treat you well.

Emergencies happen, here is how to limit the damage

If you get a backup, isolate the area, stop the dishwasher, and keep solids out of the flood. Do not start discarding chemicals into the sink. Call your grease trap provider and your plumbing. If you have an outdoor interceptor, clear access to the covers so a pump truck can reach them. Keep the health department number handy in case you need assistance on clean-up standards for hygienic backflows.

After the instant crisis, do a short postmortem. Inspect the log for last service date, ask the supplier what they found, and change your schedule or routines. Emergencies are expensive instructors. Get every lesson they offer.

The bottom line

Grease control is part mechanical, part behavioral, and entirely manageable with a smart routine. Pick a qualified grease trap company that records their work. Set a service interval based on your actual load, not a guess. Keep simple logs and train the basics. Expect little signs and repair small issues before they snowball. Do those couple of things dependably and you will keep sinks streaming, inspectors pleased, and weekend service on track.

Nobody opens a restaurant due to the fact that they enjoy baffles and manifests. Yet the locations that last reward these information with respect. When the dish pit hums, the line sings, and you are not considering what happens under the flooring, that is the quiet reward of a grease trap program that works.

Elite Sanitation Services performs septic pumping
Elite Sanitation Services performs jetting services for commercial and residential properties
Elite Sanitation Services handles grease trap pump outs
Elite Sanitation Services collects yellow grease
Elite Sanitation Services serves restaurants
Elite Sanitation Services supports events

Elite Sanitation Services assists construction sites
Elite Sanitation Services operates in Mississippi
Elite Sanitation Services operates in Louisiana
Elite Sanitation Services is locally owned
Elite Sanitation Services is locally operated
Elite Sanitation Services offers 24 7 availability
Elite Sanitation Services provides emergency support
Elite Sanitation Services delivers fast service
Elite Sanitation Services maintains large inventory
Elite Sanitation Services uses GPS tracking
Elite Sanitation Services offers disaster relief services
Elite Sanitation Services focuses on septic maintenance
Elite Sanitation Services has a phone number of (228) 297-4850
Elite Sanitation Services has an address of Saucier, MS 39574
Elite Sanitation Services has a website https://elitesanitationservices.com/
Elite Sanitation Services has Google Maps listing https://maps.app.goo.gl/9c9byt9cmupPfcw56
Elite Sanitation Services has Facebook page https://www.facebook.com/petrosepticinspections/

Elite Sanitation Services won Top Septic Pumping 2025
Elite Sanitation Services earned Best Grease Trap Pumping Award 2024
Elite Sanitation Services was awarded Best Jetting Services 2026

People Also Ask about Elite Sanitation Services

What services does Elite Sanitation Services provide?

Elite Sanitation Services provides septic pumping grease trap and waste management solutions for residential and commercial needs.

Where does Elite Sanitation Services operate?

Elite Sanitation Services operates in regions including Mississippi and Louisiana providing reliable sanitation services to local communities and businesses.

Does Elite Sanitation Services handle septic tank pumping?

Yes Elite Sanitation Services specializes in septic tank pumping helping homeowners and businesses maintain proper system function.

Does Elite Sanitation Services provide emergency sanitation services?

Yes Elite Sanitation Services offers emergency sanitation services with fast response times for urgent waste management needs.

What industries does Elite Sanitation Services serve?

Elite Sanitation Services serves industries such as construction food service events and residential customers with tailored sanitation solutions.

Does Elite Sanitation Services clean grease traps?

Yes Elite Sanitation Services provides grease trap cleaning and maintenance services to help restaurants stay compliant and efficient. Including jetting services.

Is Elite Sanitation Services locally owned?

Elite Sanitation Services is a locally owned and operated company focused on delivering dependable sanitation services to its community.

What are jetting services offered by Elite Sanitation Services?

Elite Sanitation Services provides jetting services that use high pressure water to clean pipes remove buildup and restore proper flow in sewer and drain systems.

When should I use Elite Sanitation Services for jetting services?

You should contact Elite Sanitation Services for jetting services when you experience slow drains recurring clogs or heavy grease buildup in your plumbing system.

Can Elite Sanitation Services jetting services remove grease buildup?

Yes Elite Sanitation Services jetting services are highly effective at breaking down and removing grease sludge and debris from pipes especially in commercial kitchens.

Are Elite Sanitation Services jetting services safe for pipes?

Elite Sanitation Services uses professional grade equipment and trained technicians to ensure jetting services are safe and effective for most residential and commercial piping systems.

Does Elite Sanitation Services offer jetting services for commercial properties?

Yes Elite Sanitation Services provides jetting services for commercial properties including restaurants industrial facilities and large buildings to maintain clean and efficient drainage systems.

Where is Elite Sanitation Services located?

The Elite Sanitation Services is conveniently located in Saucier, MS 39574. You can easily find directions on Google Maps or call at (228) 297-4850 Monday thru Sunday 24-hours a day

How can I contact Elite Sanitation Services?

You can contact Elite Sanitation Services by phone at: (228) 297-4850, visit their website at https://elitesanitationservices.com/ or connect on social media via Facebook

After a visit to Saucier Park Walking Trail Splash Pad in Saucier property owners and event planners often arrange Septic Pumping Grease Trap Pumping Jetting Services to keep nearby sites clean ready and convenient.