

# What laminitis means for feeding horses

**Laminitis** alters the way you look at **horse feed**. A laminitic horse needs a diet that helps with well-being, hoof repair, digestive health, and stable **weight management** without adding avoidable feeding risk. The main feeding concerns are **sugar and starch**, because these can raise **non-structural carbohydrates** and make it tougher to maintain a **safe ration**.

For many horses, feeding is not just about providing energy. For a laminitic horse, it is about managing the kind and quantity of **energy that can be digested** so the diet stays **low starch** and **fiber-rich**. This method helps maintain **metabolism health** and is particularly important where **insulin resistance** is a concern.

The **slow-release energy feed** most reliable **horse feeding principles** for laminitis often start with fiber, careful ration control, and close attention to body condition. When the horse is overweight, every feed decision matters. When the horse is underweight, the challenge is to add calories without relying on sugary or starchy ingredients. That is why the best **horse feed** for laminitic horses is rarely the most “rich” product on the shelf.

Comprehending the condition also requires understanding triggers. Certain horses are affected by pasture grass, while others by sudden changes in diet, and some by a combination of care, metabolic issues, and feed composition. Whatever the cause, the feeding strategy should be simple: support the horse with a **diet based on forage**, control total intake, and pick products that match the horse’s current needs.

## What to look for in a low sugar horse feed

A true **low sugar horse feed** should be selected by seeing past marketing claims. The most useful way is to review the **feed label** and the **analytical constituents**, not just packaging wording. A feed that says “healthy” or “natural” is not automatically suitable for a laminitic horse.

The first thing to check is the level of **non-structural carbohydrates**, which include sugar and starch. Lower levels are generally favoured for laminitic horses because they help lower the risk of spikes in dietary glucose and support steadier metabolic responses. That does not mean every horse needs the same level, but it does mean the ration should be chosen with caution.

**Fibre** should be a major feature of the diet. High-fibre horse feed can deliver bulk, promote normal gut function, and help maintain chewing time. This is useful for both digestive comfort and appetite management. Fibre also helps create a more satisfying ration when you are trying to keep calories under control.

It is also wise to check for **molasses**. Molasses is often added to increase palatability, but it increases sugar content. For a laminitic horse, a feed with little or no molasses is usually a safer option. If a product is described as “unmollassed”, that can be helpful, but the full nutrient profile still matters.

Other ingredients matter too. A sensible low sugar feed may include chopped straw, grass nuts, beet-based fibre, oil, and a vitamin and mineral profile suited to restricted forage diets. What matters is how the feed fits into the whole ration, not just whether it looks “light” or “dust-free”.

## Kinds of horse feed that may work for laminitic horses

There are several **types of horse feed** that may suit laminitic horses, but they are not the same. The best feed choice depends on body condition, workload, appetite, and whether the horse needs weight loss, maintenance, or recovery support.

A **complete horse feed** can occasionally work for a laminitic horse if it is specifically formulated to be low in sugar and starch, and if it fits the daily feeding rate carefully. However, many complete feeds are designed to supply a significant amount of energy, so label checking is essential. The term “complete” only means the feed can be fed as a full ration by itself; it does not automatically mean it is ideal for laminitis.

**Unmollassed chaff** is a popular option because it adds chew time and structure without the sweetness of molasses-heavy mixes. It can help dilute a ration and improve fibre intake. Chaff is often used as a base for balancers or supplements when you want a simple, controlled meal.

**Soaked beet pulp** is another useful choice. Beet pulp is a fibre source that can support digestibility and palatability while staying lower in sugar than many cereal-based feeds. When soaked properly, it can be easy to eat and helpful for horses that need extra hydration in their feed. Just make sure it is prepared according to the manufacturer’s instructions and fits the horse’s overall calorie needs.

In some cases, a carefully built mix of forage, fibre feeds, and a balancer is better than relying on a single all-in-one product. That approach can improve control and make it easier to keep the ration safe.

## How to understand labels and evaluate products

Various **horse feed companies** present their products in multiple ways, so label reading is important. First by looking at the **analytical constituents** and, if available, the ingredients list in detail. Check sugar, starch, fibre, oil, protein, and declared vitamins and minerals. For laminitic horses, the key question is not just whether a feed is “low sugar”, but whether the combined **sugar and starch** content fits the horse’s needs.

When comparing products, make sure you are comparing like with like. A pelleted feed, chopped fibre, and balancer may have very different feeding directions and nutrient densities. Some labels show values per kilogram, others per daily serving, so always convert them into the same measure before choosing.

Useful **horse feed advice uk** often recommends focusing on the whole ration rather than one product in isolation. A feed that looks acceptable on paper may still be unsuitable if the daily feeding amount is too large. Likewise, a feed with modest sugar and starch may still not work if the rest of the diet includes rich forage or high-calorie extras.

Also check whether the feed is designed for maintenance, light work, weight gain, or support feeding. A laminitic horse typically needs a conservative approach, and the safest products are often those built around fibre, low starch, and controlled calories. Feed labels are there to help you make those choices; use them carefully.

Bifid UK

+44 800 422 0888

[sales@bifid.co.uk](mailto:sales@bifid.co.uk)

<https://bifid.com/uk/>

## Setting ration sizes, body condition, and daily routines

Even the best feed can become the wrong feed if the amount is off. A **horse feeding chart** can help you estimate a starting ration, but it should always be adjusted to the individual horse. The main factors are body size, body condition, appetite, activity level, and any metabolic diagnosis.

A **horse feed calculator uk** tool can be a practical starting point, especially if you need a rough estimate of calories or ration size. However, calculators should never replace observation. The horse’s **body condition score**

is the real guide. If the horse is gaining weight too quickly, the ration may need to be reduced. If the horse is too lean, you may need additional fibre or a better calorie source.

**Forage intake** is central. Many laminitic horses do best when most of their calories come from **forage**, especially carefully chosen **hay** or **soaked hay** where appropriate. Soaking hay can help reduce water-soluble carbohydrate levels in some cases, although the exact benefit depends on the hay and soak method. The main goal is to make forage safer while preserving enough intake for gut health and comfort.

Consistent routines matter too. Small, regular meals are usually easier on the digestive system than large one-off feeds. Keep feeding times as regular as possible, and review the ration after changes in turnout, weather, workload, or body condition. A stable routine supports both behaviour and metabolic control.

## Well-liked low sugar feed options and their benefits

Several **horse feed companies** offer options designed for controlled calorie intake and fiber-led feeding. Of the more familiar names, **spillers horse feed** features feeds that are often considered by owners looking for **laminitic horses** support. What matters is not the brand name alone, but whether the specific product matches the horse's needs.

Some ranges are built around **fibre feed** principles, combining chopped fibre, beet-based ingredients, and added vitamins and minerals. These products can suit horses that need a palatable but careful ration. For laminitic horses, palatability matters because a horse that refuses feed is difficult to manage, but palatable should not mean sugary.

When looking through popular ranges, review the product's stated starch and sugar levels, its intended use, and the recommended daily amount. A feed that appears "safe" may still contribute too many calories if the horse eats more than intended. This is where the rest of the ration becomes important, especially forage and any additional supplements.

Some owners prefer to build a ration from a simple fibre base, then add a balancer, rather than using a richer compound feed. Others need a more complete mix because the horse is fussy or is in a management situation that demands convenience. Both approaches can work if the overall diet remains low sugar, balanced, and controlled.

## How much does horse feed cost and what affects price

**Horse feed cost** differs greatly depending on ingredient quality, the product type, and the amount needed per day. A lower-cost bag is not always the better buy if the daily feeding rate is high or if the feed does not suit the horse. The real question is overall value over time.

**Bag size** affects comparisons. A larger bag may seem costly at checkout but offer a better per-kilogram price. However, if the horse only needs a small daily amount, a huge bag may sit open for too long or lose freshness. The right bag size depends on where it is kept, how quickly it is used, and how quickly you will get through it.

**Feed rate** is just as important as bag price. A concentrated balancer may cost more per kilogram but less per day if you only feed a small amount. A mash feed or chopped feed may appear cheaper yet require more volume, so the daily cost may be higher than expected.

When weighing **value for money**, factor in whether the product replaces other items in the ration. A smart low sugar feed might reduce the need for multiple add-ons. It may also improve consistency, which is valuable when

feeding a horse with laminitis risk. Cost should always be assessed alongside safety, convenience, and ration quality.

## Typical feeding errors to watch for with laminitic horses

Numerous laminitis setbacks are linked to management errors rather than one single feed choice. One common mistake is ignoring **horse feeding rules** and assuming a small amount of rich feed is harmless. Even modest **overfeeding** can be a problem if the horse is already overweight or metabolically sensitive.

A further error is offering too many **treats**. Sugary treats, bread, and high-starch snacks can add up quickly. If you want to reward a laminitic horse, choose low-sugar options and keep them occasional. It is easy for small extras to undermine an otherwise careful ration.

**Grazing** also needs attention. For some laminitic horses, unrestricted grass is not appropriate, especially when grass is lush or the horse is prone to weight gain. Grazing management may need to be limited, timed, or controlled as part of the overall feeding plan. Always consider the whole day, not just the bucket feed.

One more issue is changing the ration too quickly. Horses with laminitis risk often do better with stable routines and gradual transitions. Sudden increases in feed volume, forage type, or feed brand can upset the digestive system and make it harder to track what is helping or harming the horse.

## Simple horse feeding rules for a safer ration

These **10 rules of feeding horses** are especially useful when managing laminitis risk:

- **Forage first** – structure the ration around good-quality forage and careful intake control.
- Keep the diet **balanced** with the right vitamins, minerals, and protein for the horse's needs.
- Choose low sugar, **low starch** feeds where possible.
- Watch the **body condition score** regularly.
- Introduce any new feed with **slow changes**.
- Avoid unnecessary extras that add calories or sugar.
- Use feeds that support a **safe ration** rather than simply increasing bulk.
- Make sure forage is suitable and monitor total **forage intake**.
- Feed consistently each day to support routine and digestion.
- Review the ration when workload, season, or health status changes.

These rules do not replace veterinary or nutrition advice, but they provide a practical framework. The goal is a diet that supports healing, encourages normal digestion, and keeps the horse comfortable.

## Horse feed mix recipe options for low sugar rations

A basic **horse feed mix recipe** can make ration-building easier. The goal is not to invent a complicated blend, but to create a practical meal that helps a laminitic horse without excess sugar or starch. One common structure is a base of **unmollassed chaff**, a fibre source such as **beet pulp**, and a suitable **balancer** to cover vitamins, minerals, and amino acids.

**Linseed** can also be used in some rations, usually in carefully measured amounts, to add oil and support condition without relying on starch. Because linseed is calorie-dense, it is especially useful when you need a bit more energy but still want to keep the ration fibre-led and controlled.

A very simple fibre-first mix might include soaked beet pulp, chopped fibre, and a balancer. For some horses, a small amount of additional oil or linseed can help support condition and palatability. The exact mix should always reflect the horse's body condition score, work level, and overall diet.

Keep in mind that a homemade ration still needs structure. A handful of ingredients is not automatically safer unless the full ration is balanced. If in doubt, build from forage, then add one measured feed element at a time.

## Horse feed basics for beginners: a simple introduction

If you are new to **horse feed for beginners**, start with the simplest possible plan. For a laminitic horse, that usually means forage-led feeding, a measured ration, and no unnecessary extras. The first task is to understand what the horse needs now, not what another horse seems to be eating.

Think in terms of a daily **ration**, not random meals. Decide what goes into the **feed bowl**, how much forage the horse gets, whether a balancer is needed, and how the routine will stay consistent. A clear **daily routine** makes it easier to notice changes in appetite, weight, or behaviour.

Begin with a feed that is simple to weigh and simple to replicate. If the horse is already on restricted grazing or a managed forage plan, keep the bucket feed simple. When you add a new product, make sure it suits the ration as a whole and not just the horse's likes.

New owners often hesitate about choosing the "perfect" feed. In reality, the best first step is a safe, modest one: read the label, prioritise fibre, control portions, and avoid hidden sugar sources. That approach is more effective than chasing a trend.

## Frequently asked questions about laminitic horse feeding

### What is the best horse feed for a laminitic horse?

The best **horse feed** for a laminitic horse is usually one that is **low sugar horse feed**, low in starch, high in fibre, and used as part of a controlled forage-led ration. The best option depends on body condition, weight management needs, and whether the horse needs maintenance support or calorie restriction. For many horses, a fibre base plus a balancer works well.

### Should laminitic horses eat complete horse feed?

A **complete horse feed** can sometimes be suitable if its **sugar and starch** levels are low and the daily amount is carefully controlled. However, some complete feeds are too rich for laminitic horses, especially if the horse is overweight or sensitive to **non-structural carbohydrates**. Always check the label and compare it with the rest of the ration.

### How much horse feed should I give a laminitic horse each day?

The right amount depends on the horse's size, **body condition score**, forage intake, and whether the horse is losing, maintaining, or gaining weight. A **horse feeding chart** can help with a starting point, but it should not replace individual assessment. Many laminitic horses do best with smaller measured meals and a strong focus on forage and calorie control.

### Is a horse feed calculator UK tool useful for laminitic horses?

A **horse feed calculator uk** tool can be useful as a guide for estimating **body weight**, **condition score**, and basic feeding amounts. It is a helpful starting point, but it cannot replace observation or professional advice. For laminitic horses, the calculator should be used alongside real-world monitoring of weight, appetite, and comfort.

## **What should I avoid in horse feed for laminitis?**

When managing laminitis, avoid feeds that contain lots of **molasses**, grain-heavy ingredients, and anything that pushes the ration too high in **sugar and starch**. Watch out for rich mixes, sweet treats, and feeds that are not clearly labelled. The safest choices are usually fibre-focused, low starch, and centred on careful **forage** management with sensible support from a **balancer** or other low-risk supplement.